

승 인	
정식승인	()
한도승인	()

SPECIFICATIONS

CUSTOMER	
ITEM	LINE FILTER
MODEL NAME	NS-303 or LF-303
PART No	UU1116-7mH(V-TYPE)
DATE	2010-09-01

검 토	심 사	승 인
승인유효기간	승인일로부터	년

신청회사명	 남선전자주식회사	TEL	02-2689-9418
		FAX	02-2689-8628
주 소	Na-3506, Chungang Circulation Complex, 1258 Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721		

개 정 이 력

CUSTOMER				MODEL NO	NS-303 or LF-303
PART NO		UU1116-7mH-V-TYPE		ITEM	LINE FILTER
NO	DATA	Page	개 정 항 목	개 정 사 유	확인
1	2010-05-07			초도발행	
2	2010-09-01			MARKING 표시추가 및 변경	
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					

—
—



Na-3506, Chungang Circulation Complex, 1258
 Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721
 TEL: 02-2689-9418 , FAX: 02-2689-8628

DESIGN	CHECK	APPROVAL
FILE NO.	SH - 080827 - 32	


APPROVAL SHEET

DATE	2010-09-01
PAGE	1 / 9

CUSTOMER			
PART NAME	LINE FILTER	MODEL NO.	NS-303 or LF-303
PART NO.	UU1116- 7mH	SIZE NO.	UU 1116 - V


1. DIMENSION (UNIT:mm)

< TOP VIEW >




* OLD MARKING : LF-303
* NEW MARKING : NS-303


< FRONT VIEW >



< SIDE VIEW >



< BOTTOM VIEW >



NAMSUN ELECTRONICS CO., LTD.

Na-3506, Chungang Circulation Complex, 1258
 Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721
 TEL: 02-2689-9418 , FAX: 02-2689-8628

DESIGN	CHECK	APPROVAL
개발실 이기훈 10.09.01	개발실 이상순 10.09.01	개발실 노성복 10.09.01
FILE NO.	SH - 080827 - 32	

APPROVAL SHEET

DATE 2010-09-01
PAGE 3 / 9

CUSTOMER			
PART NAME	LINE FILTER	MODEL NO.	NS-303 or LF-303
PART NO.	UU1116- 7mH	SIZE NO.	UU 1116 - V

5. ELECTRICAL CHARACTERISTICS

NO	ITEM	TERMINAL	SPECIFICATION	REMARKS
5-1	INDUCTANCE	L1 (1 - 2)	7mH MIN	LEADER 745 LCR - METER at 1.0 KHz. 1.0V (25 °C)
		L2 (4 - 3)		
5-2	DIFFERENCE INDUCTANCE	L1 - L2	0.3 mH MAX	
5-3	DC RESISTANCE	L1 (1 - 2)	ohm MAX	WHEATSTONE BRIDGE (Y.E.W 2755)
		L2 (4 - 3)		
5-4	DIELECTRIC STRENGTH	L1 COIL - L2 COIL	AC 2.0 KV r.m.s (1 MINUTE)	CUT OFF CURRENT : 5 mA TOS - 8850
		L1 COIL - L2 COIL	AC 2.0 KV r.m.s (1 MINUTE)	
5-5	INSULATION RESISTANCE	COIL - COIL	100 M ohm MIN at DC 500V	TOS - 8850

 **NAMSUN ELECTRONICS CO., LTD.**

Na-3506, Chungang Circulation Complex, 1258
Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721
TEL: 02-2689-9418 , FAX: 02-2689-8628

DESIGN CHECK APPROVAL

개발실 이기훈 10.09.01	개발실 이상순 10.09.01	개발실 노성복 10.09.01
------------------------	------------------------	------------------------


FILE NO. SH - 080827 - 32

APPROVAL SHEET

DATE 2010-09-01
PAGE 4 / 9

CUSTOMER			
PART NAME	LINE FILTER	MODEL NO.	NS-303 or LF-303
PART NO.	UU1116- 7mH	SIZE NO.	UU 1116 - V

6. SECTION DIAGRAM



7. MATERIAL LIST

NO	COMPONENT	NAME OF MATERIAL	MANUFACTURER OF MATERIAL	REMARKS
1	CORE	GP-9 (UU 1116) HM-3B (UU 1116) R10K (UU 1116)	SAMWHA ELECTRONICS CO.,LTD. ISU CO.,LTD. DMEGC MAGNETICS CO.,LTD	
2	BASE	PHENOL RESIN (PF2736) 94V-0	BAKELITE GESELLSCHAFT MBH	E61040(M)
3	SPRING HOLDER	STAINLESS STEEL SUS 31	JIN BO INDUSTRIAL CO.	
4	WIRE	POLYURETHANE UEW 0.4Φ	TAIHAN ELECTRIC WIRE CO., LTD. DONGSUH ELECTRONICS CO.,LTD.	E109312(N) E210918
5	INSULATION TAPE	POLYESTER TAPE 0.025t x 4.5mm (Y)	HYUNDAI CHEMICAL CO.,LTD. DUCKSUNG TAPE CO.,LTD.	E162848(S) E105147(S)
6	VARNISH	DVA-1411	DAIHAN PAINT & INK CO.,LTD.	E93947(S)
7	SOLDER	SN98%,CU2%	ALPHA SOLDER CO.	

 **NAMSUN ELECTRONICS CO., LTD.**

Na-3506, Chungang Circulation Complex, 1258
Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721
TEL:02-2689-9418 , FAX:02-2689-8628

DESIGN	CHECK	APPROVAL
개발실 이기훈 10.09.01	개발실 이상순 10.09.01	개발실 노성복 10.09.01
FILE NO.	SH - 080827 - 32	

APPROVAL SHEET

DATE	2010-09-01
PAGE	5 / 9

CUSTOMER			
PART NAME	LINE FILTER	MODEL NO.	NS-303 or LF-303
PART NO.	UU1116- 7mH	SIZE NO.	UU 1116 - V

TAIHAN ELECTRIC WIRE CO., LTD. E 109312 (N)
 194-15 1-KA HOEHYUN-DONG CHUNG-KU CPO
 BOX 2624, SEOUL KOREA

Mtl	Coat type	ANSI	T1
Dsg BC Overcoat		Type	
Magnet wire.			
EI-AIW Ester-imide	Polyamide-imide	MW35.73	200
AL EI-AIW Ester-imide	Polyamide-imide	MW35	240
EIW Ester-imide	-	MW30.72	180
EIW-N Ester-imide	Polyamide	MW76	180
AIW Polyamide-imide	-	-	220
PEW-N Polyester	Polyamide	MW76	180
SEIW Solderable	-	MW77	180
	Polyester-imide		
UEW Polyurethane	-	MW75	130
UEW-N Polyurethane	Polyamide	MW80	155

Reports : April 2, 1987; April 2, 1987; April 2, 1987; April 2, 1987; April 2, 1987; April 2, 1987; April 2, 1987; April 2, 1987; April 2, 1987; April 2, 1987.

DONG SUH ELECTRONICS CO., LTD E 210918
 55-1 BUNSU 3-RI KWANGTAN-MYUN PAJU KYONGGI-DO
 413-850, KOREA

Mtl	Mark	Coat type	ANSI	T1
Dsg Dsg BC Overcoat			Typ(+)	
DSUEW-100 (1) Polyurethane		-	MW75C	130
UEW (1) polyurethane		None	MW79	155
			MW75	130(2)
PEW (1) Polyester		None	MW30	180
			MW5	155(2)

- (1) Marked designations are the same as the material designations.
- (2) Additional consideration is needed before its use in System's thermal aging.

Marking : Company name, materal designation or marked designation on package or reel, and Recognized Component Mark.



Na-3506, Chungang Circulation Complex, 1258
 Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721
 TEL:02-2689-9418 , FAX:02-2689-8628

DESIGN	CHECK	APPROVAL
FILE NO.	SH - 080827 - 32	

APPROVAL SHEET

DATE	2010-09-01
PAGE	6 / 9

CUSTOMER			
PART NAME	LINE FILTER	MODEL NO.	NS-303 or LF-303
PART NO.	UU1116- 7mH	SIZE NO.	UU 1116 - V

BAKELITE AG **E 61040 (M)**
 POSTFACH 7154 58609, ISERLOHN-LETMATH FED
 REP GERMANY

Phenolic molding compound(PF), desingnated "Rutaform" or "furnished in the form of pellets or powder

PF2836@	BK	1.50	94V-0	150	150	150	0	2	~	5	~
PF2736@	NC,GN	0.81	94V-0	150	150	150	0	2	~	5	~
	BK										
	ALL	0.81	94V-1	150	150	150	0	2	~	5	~
	ALL	1.50	94V-0	150	150	150	0	2	0	~	~
		3.00	94V-0	150	150	150	0	2	0	5	
PF2560@	ALL	1.50	94V-1	150	150	150	~	~	~	~	~
	BK,NC	1.50	94V-0	150	150	150	~	~	~	~	~
	ALL	3.00	94V-0	150	150	150	~	~	~	~	~
PF31@	ALL	1.50	94V-1	150	150	150	1	1	~	6	~
		3.00	94V-0	150	150	150	0	1	~	~	~
PF2744@	ALL	1.50	94V-0	150	150	150	0	1	~	5	~
PF2855@	ALL	3.00	94V-0	150	150	150	0	3	~	5	~
PF6506@	ALL	1.50	94V-0	150	150	150	0	2	~	5	~



Na-3506, Chungang Circulation Complex, 1258
 Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721
 TEL: 02-2689-9418 , FAX: 02-2689-8628

DESIGN	CHECK	APPROVAL
FILE NO.	SH - 080827 - 32	

<h1>APPROVAL SHEET</h1>	DATE	2010-09-01
	PAGE	7 / 9

CUSTOMER			
PART NAME	LINE FILTER	MODEL NO.	NS-303 or LF-303
PART NO.	UU1116- 7mH	SIZE NO.	UU 1116 - V

HYUN DAI CHEMICAL CO., LTD
258 YEULMI-RI SILCHON-MYON KWANGJU
KYONGGI-DO 464-870 KOREA

E 162848 (S)

Polyester tape with aprille adhesive, cat. no. 800 for use at temperature not mxdddading 190 c.
 Marking company name. catalog daeignation and temperature rating ptinted on darion .wrapper
 or core.

See Genaral informtion precading three recognitiona

For use only equipment where the adceptabination la datermined by undarwril.
 ars Laboratorles inc.

Report October 20. 1994.

1.06E+08 **underwriters Laboratoles inc.** Dil/0264017

and Recognized Component Mark.

DUCK SUNG TAPE CO LTD
DAESUNG BLDG 677 JAYANG-DONG SUNGDONG-KU,
SEOUL 133-190 KOREA

E 105147 (S)

Polyester film insulating tape,cat.no. DTS-204 rated 130 C.

Acetate cloth insulating tape,cat.no. 231 rated 105 C.

Glass cloth insulating tape,cat.no. 220-B rated 130 C.

Acetate cloth insulating tape,cat.no. DTS-230 rated 105 C.

Marking:Company name or trademark or "E105147" and catalog designation
 printed on carton, wrapper or core.

 NAMSUN ELECTRONICS CO., LTD. Na-3506, Chungang Circulation Complex, 1258 Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721 TEL:02-2689-9418 , FAX:02-2689-8628	DESIGN	CHECK	APPROVAL
			
	FILE NO.	SH - 080827 - 32	

APPROVAL SHEET

DATE 2010-09-01
PAGE 9 / 9

CUSTOMER			
PART NAME	LINE FILTER	MODEL NO.	NS-303 or LF-303
PART NO.	UU1116- 7mH	SIZE NO.	UU 1116 - V

ITEM NO	WIRE (130℃)	P.S TAPE (130℃)		
1	OK	OK		
2	"	"		
3	"	"		
4	"	"		
5	"	"		
6	"	"		
7	"	"		
8	"	"		
9	"	"		
10	"	"		



Na-3506, Chungang Circulation Complex, 1258
Kurobon-dong, Kuro-Ku, Seoul, Korea, 152-721
TEL: 02-2689-9418 , FAX: 02-2689-8628

DESIGN	CHECK	APPROVAL
개발실 이기훈 10.09.01	개발실 이상순 10.09.01	개발실 노성복 10.09.01
FILE NO.	SH - 080827 - 32	